

Reusable pallets made from **recycled plastic**


PRODUCT PORTFOLIO

qpall.com

 **QPALL**[®]
PLASTIC PALLETS

Act global produce local





Pallets with a purpose

♥ From the very beginning, our mission has been clear and simple: offer cost-effective and reliable plastic pallets while prioritizing sustainability. By dedicating our focus and expertise to the development and production of only plastic pallets, we consistently deliver innovative solutions that adapt to the ever-evolving needs of our customers.

Today, our pallets are manufactured from nearly 100% recycled plastic, ensuring they are environmentally friendly without sacrificing strength or durability. This sustainable approach allows us to reduce the worldwide waste and make a positive impact on the environment while offering our customers high-quality, dependable pallets.

Currently, we operate from 5 production locations across Europe. This not only helps us reduce transportation costs for our customers but also significantly lowers CO2 emissions and reflects our deep commitment to environmental responsibility.

We proudly call this effort “Pallets with a Purpose.” Through our dedication to sustainability and operational efficiency, we continue to produce pallets that make a meaningful difference.

QP6040MB4F

MEDIUM

**Specifications**

Article number	QP6040MB4F
Dimensions (mm)	600 x 400 x 155
Weight (kg)	2.0
Topdeck	Open
Bottom support	4 feet

Load capacity (kg)

Static load	500
Dynamic load	250
Packed per	200 pieces

QP6080MB6FR

MEDIUM

**Specifications**

Article number	QP6080MB6FR
Dimensions (mm)	600 x 800 x 143
Weight (kg)	3.2
Topdeck	Open
Bottom support	6 feet

Load capacity (kg)

Static load	1000
Dynamic load	500
Packed per	80 pieces

QP6080HB6FR

HEAVY

**Specifications**

Article number	QP6080HB6FR
Dimensions (mm)	600 x 800 x 155
Weight (kg)	5.9
Topdeck	Open
Bottom support	6 feet

Load capacity (kg)

Static load	1000
Dynamic load	600
Packed per	80 pieces

QP76114LB9FR

LIGHT

**Specifications**

Article number	QP76114LB9FR
Dimensions (mm)	760 x 1140 x 150
Weight (kg)	4.6
Topdeck	Open
Bottom support	9 feet

Load capacity (kg)

Static load	2500
Dynamic load	1000
Racking load	-

QP76114LB9FR-CD

LIGHT

**Specifications**

Article number	QP76114LB9FR-CD
Dimensions (mm)	760 x 1140 x 150
Weight (kg)	5.7
Topdeck	Closed
Bottom support	9 feet

Load capacity (kg)

Static load	2500
Dynamic load	1000
Racking load	-

QP76114LB9RR

LIGHT

**Specifications**

Article number	QP76114LB9RR
Dimensions (mm)	760 x 1140 x 158
Weight (kg)	6.4
Topdeck	Open
Bottom support	3 runners

Load capacity (kg)

Static load	2500
Dynamic load	1000
Racking load	-



QP76114LB9RR-CD

LIGHT

**Specifications**

Article number	QP76114LB9RR-CD
Dimensions (mm)	760 x 1140 x 158
Weight (kg)	7.5
Topdeck	Closed
Bottom support	3 runners

Load capacity (kg)

Static load	2500
Dynamic load	1000
Racking load	-

QP-RUN-L

LOW

**Specifications**

Article number	QP-RUN-L
Dimensions (mm)	1170 x 100 x 15
Weight (kg)	0.6
Type	Low runner
Pallet sizes (mm)	1200 x 800 / 1200 x 1000

760 x 1140 mm

QP1111LB9FR

LIGHT

**Specifications**

Article number	QP1111LB9FR
Dimensions (mm)	1100 x 1100 x 150
Weight (kg)	6.8
Topdeck	Open
Bottom support	9 feet

Load capacity (kg)

Static load	2500
Dynamic load	1000
Racking load	-

QP1111LB3RR

LIGHT

**Specifications**

Article number	QP1111LB3RR
Dimensions (mm)	1100 x 1100 x 158
Weight (kg)	8.4
Topdeck	Open
Bottom support	3 runners

Load capacity (kg)

Static load	2500
Dynamic load	1000
Racking load	-

QPRUN1111

STANDARD

**Specifications**

Article number	QPRUN1111
Dimensions (mm)	1100 x 125 x 18
Weight (kg)	0.6
Type	Standard runner
Pallet sizes (mm)	1100 x 1100

1100 x 1100 mm

1.QP1111MB3R-AS

MEDIUM

**Specifications**

Article number	1.QP1111MB3R-AS
Dimensions (mm)	1100 x 1100 x 150
Weight (kg)	11.7
Topdeck	Open
Bottom support	3 runners

Load capacity (kg)

Static load	7500
Dynamic load	1250
Racking load	250

3.QP1111MB3R-AS

MEDIUM

**Specifications**

Article number	3.QP1111MB3R-AS
Dimensions (mm)	1100 x 1100 x 150
Weight (kg)	11.7
Topdeck	Open
Bottom support	3 runners

Load capacity (kg)

Static load	7500
Dynamic load	1250
Racking load	250

1.QP1111MB6R-AS

MEDIUM

**Specifications**

Article number	1.QP1111MB6R-AS
Dimensions (mm)	1100 x 1100 x 150
Weight (kg)	13.2
Topdeck	Open
Bottom support	6 runners

Load capacity (kg)

Static load	7500
Dynamic load	1250
Racking load	250

1100 x 1100 mm



The indicated weights are theoretical; for the actual specifications, please refer to our website.

Pallets with a purpose



3.QP1111MB6R-AS

MEDIUM

**Specifications**


Article number	3.QP1111MB6R-AS
Dimensions (mm)	1100 x 1100 x 150
Weight (kg)	13.2
Topdeck	Open
Bottom support	6 runners

Load capacity (kg)

Static load	7500
Dynamic load	1250
Racking load	250

QP1111HB3RR

HEAVY

**Specifications**

Article number	QP1111HB3RR
Dimensions (mm)	1100 x 1100 x 165
Weight (kg)	19.9
Topdeck	Open
Bottom support	3 runners

Load capacity (kg)

Static load	7500
Dynamic load	2000
Racking load	1000

QP1111HB3RR-CD

HEAVY

**Specifications**


Article number	QP1111HB3RR-CD
Dimensions (mm)	1100 x 1100 x 165
Weight (kg)	21.5
Topdeck	Closed
Bottom support	3 runners

Load capacity (kg)

Static load	7500
Dynamic load	2000
Racking load	1000

QP1111HB6RR

HEAVY

**Specifications**


Article number	QP1111HB6RR
Dimensions (mm)	1100 x 1100 x 165
Weight (kg)	22.0
Topdeck	Open
Bottom support	6 runners

Load capacity (kg)

Static load	7500
Dynamic load	2000
Racking load	1250

QP1111HB6RR-CD

HEAVY

**Specifications**

Article number	QP1111HB6RR-CD
Dimensions (mm)	1100 x 1100 x 165
Weight (kg)	24.1
Topdeck	Closed
Bottom support	6 runners

Load capacity (kg)

Static load	7500
Dynamic load	2000
Racking load	1250

QP1140LB9FR

LIGHT

**Specifications**

Article number	QP1140LB9FR
Dimensions (mm)	1140 x 1140 x 150
Weight (kg)	7.2
Topdeck	Open
Bottom support	9 feet

Load capacity (kg)

Static load	2500
Dynamic load	1000
Racking load	-

QP1140LB3RR

LIGHT

**Specifications**

Article number	QP1140LB3RR
Dimensions (mm)	1140 x 1140 x 158
Weight (kg)	9.7
Topdeck	Open
Bottom support	3 runners

Load capacity (kg)

Static load	2500
Dynamic load	1000
Racking load	-

QPRUN1140

STANDARD

**Specifications**

Article number	QPRUN1140
Dimensions (mm)	1140 x 125 x 18
Weight (kg)	0.6
Type	Standard runner
Pallet sizes (mm)	1140 x 1140



2.QP1140MB3RR

MEDIUM

**Specifications**

Article number	2.QP1140MB3RR
Dimensions (mm)	1140 x 1140 x 156
Weight (kg)	15.4
Topdeck	Open
Bottom support	3 runners

Load capacity (kg)

Static load	7500
Dynamic load	1375
Racking load	200

3.QP1140MB3RR

MEDIUM

**Specifications**

Article number	3.QP1140MB3RR
Dimensions (mm)	1140 x 1140 x 156
Weight (kg)	15.4
Topdeck	Open
Bottom support	3 runners

Load capacity (kg)

Static load	7500
Dynamic load	1375
Racking load	200

2.QP1140MB6RR

MEDIUM

**Specifications**

Article number	2.QP1140MB6RR
Dimensions (mm)	1140 x 1140 x 156
Weight (kg)	16.9
Topdeck	Open
Bottom support	6 runners

Load capacity (kg)

Static load	7500
Dynamic load	1375
Racking load	200

3.QP1140MB6RR

MEDIUM

**Specifications**

Article number	3.QP1140MB6RR
Dimensions (mm)	1140 x 1140 x 156
Weight (kg)	16.9
Topdeck	Open
Bottom support	6 runners

Load capacity (kg)

Static load	7500
Dynamic load	1375
Racking load	200

1.QP1140MB3R-PAS

MEDIUM

**Specifications**

Article number	1.QP1140MB3R-PAS
Dimensions (mm)	1140 x 1140 x 150
Weight (kg)	13.6
Topdeck	Open
Bottom support	3 runners

Load capacity (kg)

Static load	7500
Dynamic load	1375
Racking load	300

3.QP1140MB3R-PAS

MEDIUM

**Specifications**

Article number	3.QP1140MB3R-PAS
Dimensions (mm)	1140 x 1140 x 150
Weight (kg)	13.6
Topdeck	Open
Bottom support	3 runners

Load capacity (kg)

Static load	7500
Dynamic load	1375
Racking load	300

1.QP1140MB6R-PAS

MEDIUM

**Specifications**

Article number	1.QP1140MB6R-PAS
Dimensions (mm)	1140 x 1140 x 150
Weight (kg)	14.3
Topdeck	Open
Bottom support	6 runners

Load capacity (kg)

Static load	7500
Dynamic load	1375
Racking load	300

3.QP1140MB6R-PAS

MEDIUM

**Specifications**


Article number	3.QP1140MB6R-PAS
Dimensions (mm)	1140 x 1140 x 150
Weight (kg)	14.3
Topdeck	Open
Bottom support	6 runners

Load capacity (kg)

Static load	7500
Dynamic load	1375
Racking load	300

QP1140HB3RR

HEAVY

**Specifications**

Article number	QP1140HB3RR
Dimensions (mm)	1140 x 1140 x 165
Weight (kg)	22.4
Topdeck	Open
Bottom support	3 runners

Load capacity (kg)

Static load	7500
Dynamic load	2000
Racking load	1250

1140 x 1140 mm

1140 x 1140 mm

1140 x 1140 mm



The indicated weights are theoretical; for the actual specifications, please refer to our website.

Pallets with a **purpose**



QPI140HB3RR-CD

HEAVY

**Specifications**


Article number	QPI140HB3RR-CD
Dimensions (mm)	1140 x 1140 x 165
Weight (kg)	24.7
Topdeck	Closed
Bottom support	3 runners

Load capacity (kg)

Static load	7500
Dynamic load	2000
Racking load	1250

QPI140HB6RR

HEAVY

**Specifications**


Article number	QPI140HB6RR
Dimensions (mm)	1140 x 1140 x 165
Weight (kg)	25.1
Topdeck	Open
Bottom support	6 runners

Load capacity (kg)

Static load	7500
Dynamic load	2200
Racking load	1250

QPI140HB6RR-CD

HEAVY

**Specifications**

Article number	QPI140HB6RR-CD
Dimensions (mm)	1140 x 1140 x 165
Weight (kg)	25.9
Topdeck	Closed
Bottom support	6 runners

Load capacity (kg)

Static load	7500
Dynamic load	2000
Racking load	1375

1.QPI208LB9FR

LIGHT

**Specifications**

Article number	1.QPI208LB9FR
Dimensions (mm)	1200 x 800 x 150
Weight (kg)	5.1
Topdeck	Open
Bottom support	9 feet nestable

Load capacity (kg)

Static load	2500
Dynamic load	1000
Racking load	-

1.QPI208LB9FR-CD

LIGHT

**Specifications**

Article number	1.QPI208LB9FR-CD
Dimensions (mm)	1200 x 800 x 150
Weight (kg)	6.3
Topdeck	Closed
Bottom support	9 feet nestable

Load capacity (kg)

Static load	2500
Dynamic load	1000
Racking load	-

2.QPI208LB9FR

LIGHT

**Specifications**

Article number	2.QPI208LB9FR
Dimensions (mm)	1200 x 800 x 150
Weight (kg)	5.4
Topdeck	Open
Bottom support	9 feet nestable

Load capacity (kg)

Static load	2500
Dynamic load	1000
Racking load	-

2.QPI208LB9FR-CD

LIGHT

**Specifications**

Article number	2.QPI208LB9FR-CD
Dimensions (mm)	1200 x 800 x 150
Weight (kg)	6.4
Topdeck	Closed
Bottom support	9 feet nestable

Load capacity (kg)

Static load	2500
Dynamic load	1000
Racking load	-

3.QPI208LB9FR

LIGHT

**Specifications**

Article number	3.QPI208LB9FR
Dimensions (mm)	1200 x 800 x 150
Weight (kg)	5.4
Topdeck	Open
Bottom support	9 feet nestable

Load capacity (kg)

Static load	2500
Dynamic load	1000
Racking load	-

3.QPI208LB9FR-CD

LIGHT

**Specifications**

Article number	3.QPI208LB9FR-CD
Dimensions (mm)	1200 x 800 x 150
Weight (kg)	6.6
Topdeck	Closed
Bottom support	9 feet nestable

Load capacity (kg)

Static load	2500
Dynamic load	1000
Racking load	-



3.QP1208LB3RR

LIGHT



Specifications

Article number	3.QP1208LB3RR
Dimensions (mm)	1200 x 800 x 160
Weight (kg)	7.2
Topdeck	Open
Bottom support	3 runners

Load capacity (kg)

Static load	2500
Dynamic load	1000
Racking load	-

3.QP1208LB3RR-CD

LIGHT



Specifications

Article number	3.QP1208LB3RR-CD
Dimensions (mm)	1200 x 800 x 158
Weight (kg)	8.4
Topdeck	Closed
Bottom support	3 runners

Load capacity (kg)

Static load	2500
Dynamic load	1000
Racking load	-

QP-RUN-L

LOW



Specifications

Article number	QP-RUN-L
Dimensions (mm)	1170 x 100 x 15
Weight (kg)	0.6
Type	Low runner
Pallet sizes (mm)	1200 x 800 / 1200 x 1000

1.QP1208MB3RR

MEDIUM



Specifications

Article number	1.QP1208MB3RR
Dimensions (mm)	1200 x 800 x 145
Weight (kg)	11.4
Topdeck	Open
Bottom support	3 runners

Load capacity (kg)

Static load	5000
Dynamic load	1250
Racking load	450

2.QP1208MB3RR

MEDIUM



Specifications

Article number	2.QP1208MB3RR
Dimensions (mm)	1200 x 800 x 145
Weight (kg)	12.0
Topdeck	Open
Bottom support	3 runners

Load capacity (kg)

Static load	5000
Dynamic load	1250
Racking load	450

2.QP1208MB3RR-CD

MEDIUM



Specifications

Article number	2.QP1208MB3RR-CD
Dimensions (mm)	1200 x 800 x 145
Weight (kg)	13.8
Topdeck	Closed
Bottom support	3 runners

Load capacity (kg)

Static load	5000
Dynamic load	1250
Racking load	750

3.QP1208MB3RR

MEDIUM



Specifications

Article number	3.QP1208MB3RR
Dimensions (mm)	1200 x 800 x 145
Weight (kg)	12.0
Topdeck	Open
Bottom support	3 runners

Load capacity (kg)

Static load	5000
Dynamic load	1500
Racking load	450

3.QP1208MB3RR-CD

MEDIUM



Specifications

Article number	3.QP1208MB3RR-CD
Dimensions (mm)	1200 x 800 x 145
Weight (kg)	14.0
Topdeck	Closed
Bottom support	3 runners

Load capacity (kg)

Static load	5000
Dynamic load	1500
Racking load	750

5.QP1208MB3RR

MEDIUM



Specifications

Article number	5.QP1208MB3RR
Dimensions (mm)	1200 x 800 x 145
Weight (kg)	12.0
Topdeck	Open
Bottom support	3 runners

Load capacity (kg)

Static load	5000
Dynamic load	1500
Racking load	450

1200 x 800 mm

1200 x 800 mm

1200 x 800 mm



The indicated weights are theoretical; for the actual specifications, please refer to our website.

Pallets with a purpose



5.QP1208MB3RR-CD MEDIUM

**Specifications**

Article number	5.QP1208MB3RR-CD
Dimensions (mm)	1200 x 800 x 145
Weight (kg)	13.8
Topdeck	Closed
Bottom support	3 runners

Load capacity (kg)

Static load	5000
Dynamic load	1500
Racking load	750

5.QP1208MB3R-CD-AO MEDIUM

NEW

**Specifications**

Article number	5.QP1208MB3R-CD-AO
Dimensions (mm)	1200 x 800 x 145
Weight (kg)	14.8
Topdeck	Closed - Anti Slip
Bottom support	3 runners

Load capacity (kg)

Static load	6000
Dynamic load	1500
Racking load	750

2.QP1208HB3RR

HEAVY

**Specifications**

Article number	2.QP1208HB3RR
Dimensions (mm)	1200 x 800 x 159
Weight (kg)	16.9
Topdeck	Open
Bottom support	3 runners

Load capacity (kg)

Static load	7500
Dynamic load	1750
Racking load	1000

2.QP1208HB3RR-CD HEAVY

**Specifications**

Article number	2.QP1208HB3RR-CD
Dimensions (mm)	1200 x 800 x 159
Weight (kg)	17.9
Topdeck	Closed
Bottom support	3 runners

Load capacity (kg)

Static load	7500
Dynamic load	1750
Racking load	1000

EUROPAL800RR HEAVY

**Specifications**

Article number	EUROPAL800RR
Dimensions (mm)	1200 x 800 x 150
Weight (kg)	23.0
Topdeck	Closed
Bottom support	3 runners

Load capacity (kg)

Static load	5000
Dynamic load	1500
Racking load	800

1.QP1210LB9FR LIGHT

**Specifications**

Article number	1.QP1210LB9FR
Dimensions (mm)	1200 x 1000 x 150
Weight (kg)	6.8
Topdeck	Open
Bottom support	9 feet

Load capacity (kg)

Static load	2500
Dynamic load	1000
Racking load	-

1.QP1210LB9FR-CD LIGHT

**Specifications**

Article number	1.QP1210LB9FR-CD
Dimensions (mm)	1200 x 1000 x 150
Weight (kg)	8.9
Topdeck	Closed
Bottom support	9 feet

Load capacity (kg)

Static load	2500
Dynamic load	1000
Racking load	-

2.QP1210LB9FR LIGHT

**Specifications**

Article number	2.QP1210LB9FR
Dimensions (mm)	1200 x 1000 x 150
Weight (kg)	6.8
Topdeck	Open
Bottom support	9 feet

Load capacity (kg)

Static load	2500
Dynamic load	1000
Racking load	-



2.QP1210LB9FR-CD

LIGHT

**Specifications**

Article number	2.QP1210LB9FR-CD
Dimensions (mm)	1200 x 1000 x 150
Weight (kg)	8.9
Topdeck	Closed
Bottom support	9 feet

Load capacity (kg)

Static load	2500
Dynamic load	1000
Racking load	-

2.QP1210LB3RR

LIGHT

**Specifications**


Article number	2.QP1210LB3RR
Dimensions (mm)	1200 x 1000 x 150
Weight (kg)	8.5
Topdeck	Open
Bottom support	3 runners

Load capacity (kg)

Static load	2500
Dynamic load	1000
Racking load	-

2.QP1210LB3RR-CD

LIGHT

**Specifications**

Article number	2.QP1210LB3RR-CD
Dimensions (mm)	1200 x 1000 x 150
Weight (kg)	8.7
Topdeck	Closed
Bottom support	3 runners

Load capacity (kg)

Static load	2500
Dynamic load	1000
Racking load	-

QP-RUN-L

LOW

**Specifications**

Article number	QP-RUN-L
Dimensions (mm)	1170 x 100 x 15
Weight (kg)	0.6
Type	Low runner
Pallet sizes (mm)	1200 x 800 / 1200 x 1000

3.QP1210MB3RR

MEDIUM

**Specifications**

Article number	3.QP1210MB3RR
Dimensions (mm)	1200 x 1000 x 150
Weight (kg)	15.1
Topdeck	Open
Bottom support	3 runners

Load capacity (kg)

Static load	6000
Dynamic load	1500
Racking load	850

3.QP1210MB5RR

MEDIUM

**Specifications**

Article number	3.QP1210MB5RR
Dimensions (mm)	1200 x 1000 x 150
Weight (kg)	15.8
Topdeck	Open
Bottom support	5 runners

Load capacity (kg)

Static load	6000
Dynamic load	1500
Racking load	1000

4.QP1210MB3RR

MEDIUM

**Specifications**

Article number	4.QP1210MB3RR
Dimensions (mm)	1200 x 1000 x 150
Weight (kg)	14.0
Topdeck	Open
Bottom support	3 runners

Load capacity (kg)

Static load	6000
Dynamic load	1500
Racking load	800

4.QP1210MB3RR-CD

MEDIUM

**Specifications**

Article number	4.QP1210MB3RR-CD
Dimensions (mm)	1200 x 1000 x 150
Weight (kg)	16.0
Topdeck	Closed
Bottom support	3 runners


Load capacity (kg)

Static load	6000
Dynamic load	1500
Racking load	1250

4.QP1210MB3R-CD-AO

MEDIUM

NEW

**Specifications**

Article number	4.QP1210MB3R-CD-AO
Dimensions (mm)	1200 x 1000 x 150
Weight (kg)	17.0
Topdeck	Closed - Anti Slip
Bottom support	3 runners

Load capacity (kg)

Static load	6000
Dynamic load	1500
Racking load	1000

1200 x 1000 mm

1200 x 1000 mm

1200 x 1000 mm



The indicated weights are theoretical; for the actual specifications, please refer to our website.

Pallets with a **purpose**



4.QP1210MB5RR

MEDIUM

**Specifications**


Article number	4.QP1210MB5RR
Dimensions (mm)	1200 x 1000 x 150
Weight (kg)	15.7
Topdeck	Open
Bottom support	5 runners

Load capacity (kg)

Static load	6000
Dynamic load	1500
Racking load	1000

4.QP1210MB5RR-CD

MEDIUM

**Specifications**

Article number	4.QP1210MB5RR-CD
Dimensions (mm)	1200 x 1000 x 150
Weight (kg)	15.5
Topdeck	Closed
Bottom support	5 runners


Load capacity (kg)

Static load	6000
Dynamic load	1500
Racking load	1000

4.QP1210MB5R-CD-AO

MEDIUM

NEW

**Specifications**


Article number	4.QP1210MB5R-CD-AO
Dimensions (mm)	1200 x 1000 x 150
Weight (kg)	17.5
Topdeck	Closed – Anti Slip
Bottom support	5 runners

Load capacity (kg)

Static load	6000
Dynamic load	1500
Racking load	1000

2.QP1210HB3RR

HEAVY

**Specifications**


Article number	2.QP1210HB3RR
Dimensions (mm)	1200 x 1000 x 158
Weight (kg)	20.3
Topdeck	Open
Bottom support	3 runners

Load capacity (kg)

Static load	7500
Dynamic load	1500
Racking load	1250

2.QP1210HB3RR-CD

HEAVY

**Specifications**

Article number	2.QP1210HB3RR-CD
Dimensions (mm)	1200 x 1000 x 158
Weight (kg)	24.1
Topdeck	Closed
Bottom support	3 runners

Load capacity (kg)

Static load	7500
Dynamic load	1500
Racking load	1375

2.QP1210HB6RR

HEAVY

**Specifications**

Article number	2.QP1210HB6RR
Dimensions (mm)	1200 x 1000 x 158
Weight (kg)	21.7
Topdeck	Open
Bottom support	6 runners

Load capacity (kg)

Static load	7500
Dynamic load	1500
Racking load	1375

2.QP1210HB6RR-CD

HEAVY

**Specifications**


Article number	2.QP1210HB6RR-CD
Dimensions (mm)	1200 x 1000 x 158
Weight (kg)	25.2
Topdeck	Closed
Bottom support	6 runners

Load capacity (kg)

Static load	7500
Dynamic load	1500
Racking load	1375

3.QP1210HB3RR

HEAVY

**Specifications**


Article number	3.QP1210HB3RR
Dimensions (mm)	1200 x 1000 x 160
Weight (kg)	19.1
Topdeck	Open
Bottom support	3 runners

Load capacity (kg)

Static load	7500
Dynamic load	1500
Racking load	1375

3.QP1210HB5RR

HEAVY

**Specifications**

Article number	3.QP1210HB5RR
Dimensions (mm)	1200 x 1000 x 160
Weight (kg)	20.6
Topdeck	Open
Bottom support	5 runners

Load capacity (kg)

Static load	7500
Dynamic load	1500
Racking load	1375



4.QP1210HB3RR

HEAVY

**Specifications**

Article number	4.QP1210HB3RR
Dimensions (mm)	1200 x 1000 x 160
Weight (kg)	19.3
Topdeck	Open
Bottom support	3 runners

Load capacity (kg)

Static load	7500
Dynamic load	1500
Racking load	1375

4.QP1210HB5RR

HEAVY

**Specifications**

Article number	4.QP1210HB5RR
Dimensions (mm)	1200 x 1000 x 160
Weight (kg)	20.3
Topdeck	Open
Bottom support	5 runners

Load capacity (kg)

Static load	7500
Dynamic load	1500
Racking load	1375

QP1210HP3R-AO

HEAVY

**Specifications**

Article number	QP1210HP3R-AO
Dimensions (mm)	1200 x 1000 x 165
Weight (kg)	22.6
Topdeck	Open - Anti Slip
Bottom support	3 runners

Load capacity (kg)

Static load	7500
Dynamic load	1500
Racking load	1250

QP1210HP6R-AO

HEAVY

**Specifications**

Article number	QP1210HP6R-AO
Dimensions (mm)	1200 x 1000 x 165
Weight (kg)	24.5
Topdeck	Open - Anti Slip
Bottom support	6 runners

Load capacity (kg)

Static load	7500
Dynamic load	1500
Racking load	1375

RECYPAL1210RR

HEAVY

**Specifications**

Article number	RECYPAL1210RR
Dimensions (mm)	1200 x 1000 x 150
Weight (kg)	27.5
Topdeck	Closed
Bottom support	3 runners

Load capacity (kg)

Static load	7500
Dynamic load	1500
Racking load	900

QP1212LB9FR

LIGHT

**Specifications**

Article number	QP1212LB9FR
Dimensions (mm)	1200 x 1200 x 150
Weight (kg)	8.3
Topdeck	Open
Bottom support	9 feet

Load capacity (kg)

Static load	2500
Dynamic load	1000
Racking load	-

QP1212LB3RR

LIGHT

**Specifications**

Article number	QP1212LB3RR
Dimensions (mm)	1200 x 1200 x 158
Weight (kg)	8.2
Topdeck	Open
Bottom support	3 runners

Load capacity (kg)

Static load	2500
Dynamic load	1000
Racking load	-

QPRUN1212

STANDARD

**Specifications**

Article number	QPRUN1212
Dimensions (mm)	1200 x 125 x 18
Weight (kg)	0.65
Type	Standard runner
Pallet sizes (mm)	1200 x 1200

1200 x 1000 mm

1200 x 1000 mm

1200 x 1200 mm



The indicated weights are theoretical; for the actual specifications, please refer to our website.

Pallets with a purpose



QP1212MB3RR

MEDIUM

**Specifications**

Article number	QP1212MB3RR
Dimensions (mm)	1200 x 1200 x 156
Weight (kg)	16.7
Topdeck	Open
Bottom support	3 runners

Load capacity (kg)

Static load	7500
Dynamic load	1375
Racking load	250

QP1212MB6RR

MEDIUM

**Specifications**


Article number	QP1212MB6RR
Dimensions (mm)	1200 x 1200 x 156
Weight (kg)	18.2
Topdeck	Open
Bottom support	6 runners

Load capacity (kg)

Static load	7500
Dynamic load	1375
Racking load	250

QP1212HB3RR

HEAVY

**Specifications**

Article number	QP1212HB3RR
Dimensions (mm)	1200 x 1200 x 165
Weight (kg)	25.1
Topdeck	Open
Bottom support	3 runners

Load capacity (kg)

Static load	7500
Dynamic load	2000
Racking load	1375

QP1212HB3RR-CD

HEAVY

**Specifications**


Article number	QP1212HB3RR-CD
Dimensions (mm)	1200 x 1200 x 165
Weight (kg)	25.9
Topdeck	Closed
Bottom support	3 runners

Load capacity (kg)

Static load	7500
Dynamic load	2000
Racking load	1375

QP1212HB6RR

HEAVY

**Specifications**


Article number	QP1212HB6RR
Dimensions (mm)	1200 x 1200 x 165
Weight (kg)	27.3
Topdeck	Open
Bottom support	6 runners

Load capacity (kg)

Static load	7500
Dynamic load	2000
Racking load	1375

QP1212HB6RR-CD

HEAVY

**Specifications**

Article number	QP1212HB6RR-CD
Dimensions (mm)	1200 x 1200 x 165
Weight (kg)	28.8
Topdeck	Closed
Bottom support	6 runners

Load capacity (kg)

Static load	7500
Dynamic load	2000
Racking load	1375

2.QP1311HB3R-AS

HEAVY

**Specifications**


Article number	2.QP1311HB3R-AS
Dimensions (mm)	1300 x 1100 x 158
Weight (kg)	22.6
Topdeck	Open
Bottom support	3 runners

Load capacity (kg)

Static load	7500
Dynamic load	1500
Racking load	1375

2.QP1311HB3R-SCD

HEAVY

**Specifications**


Article number	2.QP1311HB3R-SCD
Dimensions (mm)	1300 x 1100 x 158
Weight (kg)	24.1
Topdeck	Closed
Bottom support	3 runners

Load capacity (kg)

Static load	7500
Dynamic load	1500
Racking load	1375

2.QP1311HB6R-S

HEAVY

**Specifications**

Article number	2.QP1311HB6R-S
Dimensions (mm)	1300 x 1100 x 158
Weight (kg)	23.7
Topdeck	Open
Bottom support	6 runners


Load capacity (kg)

Static load	7500
Dynamic load	1500
Racking load	1375



2.QP1311HB6R-SCD

HEAVY

**Specifications**


Article number	2.QP1311HB6R-SCD
Dimensions (mm)	1300 x 1100 x 158
Weight (kg)	24.1
Topdeck	Closed
Bottom support	6 runners

Load capacity (kg)

Static load	7500
Dynamic load	1500
Racking load	1375

4.QP1311HB3R

HEAVY

**Specifications**

Article number	4.QP1311HB3R
Dimensions (mm)	1300 x 1100 x 160
Weight (kg)	21.3
Topdeck	Open
Bottom support	3 runners

Load capacity (kg)

Static load	7500
Dynamic load	1500
Racking load	1375

4.QP1311HB5R

HEAVY

**Specifications**

Article number	4.QP1311HB5R
Dimensions (mm)	1300 x 1100 x 160
Weight (kg)	21.5
Topdeck	Open
Bottom support	5 runners

Load capacity (kg)

Static load	7500
Dynamic load	1500
Racking load	1375

QP-RUN-L

LOW

**Specifications**

Article number	QP-RUN-L
Dimensions (mm)	1170 x 100 x 15
Weight (kg)	0.6
Type	Low runner
Pallet sizes (mm)	1200 x 800 / 1200 x 1000

QP-RUN-H

HIGH

**Specifications**

Article number	QP-RUN-H
Dimensions (mm)	1170 x 100 x 30
Weight (kg)	1.1
Type	High runner
Pallet sizes (mm)	1200 x 800 / 1200 x 1000

QPRUN1111

STANDARD

**Specifications**

Article number	QPRUN1111
Dimensions (mm)	1100 x 125 x 18
Weight (kg)	0.6
Type	Standard runner
Pallet sizes (mm)	1100 x 1100

QPRUN1140

STANDARD

**Specifications**

Article number	QPRUN1140
Dimensions (mm)	1140 x 125 x 18
Weight (kg)	0.6
Type	Standard runner
Pallet sizes (mm)	1140 x 1140

QPRUN1212

STANDARD

**Specifications**

Article number	QPRUN1212
Dimensions (mm)	1200 x 125 x 18
Weight (kg)	0.65
Type	Standard runner
Pallet sizes (mm)	1200 x 1200

1300 x 1100 mm

Rectangular runners

Square pallet runners



The indicated weights are theoretical; for the actual specifications, please refer to our website.

Pallets with a purpose



Your **notes**


A series of horizontal dotted lines for taking notes, spanning the width of the page below the header.

New


medium 1200 x 800

medium 1200 x 1000


Anti-Slip



- Enhanced safety
- Less stretch wrap
- Increased line speed
- AGV- & roller-conveyor



1210M - 3 runners



1210M - 5 runners



qpall.com

Q-PALL BV
Edisonweg 9
NL-5466 AR Veghel
The Netherlands
Phone: +31 413 353 111
E-mail: info@qpall.com

Q-PALL®
PLASTIC PALLETS